


aalco®

ARCHITECTURAL
HANDRAIL
SYSTEMS

www.aalco-handrail.com

AALCO COMPONENTS

HANDRAIL SUPPORTS



A comprehensive range of handrail supports in a variety of designs, sizes and finishes. Available in fixed or adjustable options for both wall mounting and glass mounting, they are suitable for round and flat handrails. Included in the range is a new series of handrail kits, supplied complete with the supports and 2m or 3m tube handrails in stainless steel (satin finish or mirror polished) or wood. Ready to assemble and easy to install, the kits are ideal for less experienced installers.



RUBBER Mallet TO BE USED



PRODUCT TO BE GLUED WITH E4054



ASSEMBLY WITH ALLEN KEY




PRODUCT TO BE WELDED




ANTI-CLIMB PRODUCT




SUPER STRONG, HIGH RESISTANT PRODUCT




AISI304	AISI316	DESCRIPTION
E02221	E02221316	To be welded




AISI304	AISI316	DESCRIPTION
E0222	E0222316	To be welded




AISI304	AISI316	DESCRIPTION
E02246	E02246316	With inside thread M6




AISI304	AISI316	DESCRIPTION
E0224	E0224316	With inside thread M6




AISI304	AISI316	DESCRIPTION	B
E02233	E02233316	Without thread	Ø 33.7 mm / Ø 42.4mm




AISI304	AISI316	DESCRIPTION	B
E0223	E0223316	Without thread	Ø 33.7mm / Ø 42.4mm



AISI304	AISI316	DESCRIPTION	B
E02230	-	With internal thread	Ø 42.4mm
E02232	-	With internal thread	Ø 48.3mm




AISI304	AISI316	DESCRIPTION	B
E02231	E02231316	With plate and pivot	Ø 33.7mm / Ø 42.4mm




- Flat flange
- Ø 64mm
- 4mm thick
- Welded to the anchor plate




HANDRAIL SUPPORTS




AISI304	AISI316	DESCRIPTION
E02245	E02245316	To be welded




AISI304	AISI316	DESCRIPTION
E022451	E022451316	To be welded




AISI304	AISI316	DESCRIPTION
E022452	E022452316	With inside thread M6




AISI304	AISI316	DESCRIPTION
E022453	E022453316	With inside thread M6




AISI304	AISI316	DESCRIPTION	B
E02243	E02243316	Without thread	Ø 33.7mm / Ø 42.4mm




AISI304	AISI316	DESCRIPTION	B
E022431	E022431316	Without thread	Ø 33.7mm / Ø 42.4mm




AISI304	AISI316	DESCRIPTION	B
E02242	E02242316	With screw and internal thread M6	Ø 33.7mm / Ø 42.4mm




WALL HANDRAIL SUPPORTS




AISI304	AISI316	ZAMAC	B
E459/304	E459	E45920	Ø 42.4mm




AISI304	AISI316	B
E022/S	E022/S316	Ø 33.7mm / Ø 42.4mm




AISI304	FOR TUBE	DESCRIPTION
E02281	Ø 42.4mm	To be welded



AISI304	DESCRIPTION	B
E0228	To be welded	Ø 33.7mm / Ø 42.4mm



AISI304	FOR TUBE	DESCRIPTION
E02282	Ø 42.4mm	To be welded



AISI304	DESCRIPTION	B
E02283	To be welded	Ø 33.7 mm / Ø 42.4mm




Handrail support provided with a clamping plate and cover, to enable an easy, fast and safe assembly.



HANDRAIL SUPPORTS


WALL HANDRAIL SUPPORTS




Satin finish

AISI316	FOR HANDRAIL
E4586	Ø 40 ÷ 48mm and square

EINSM6X12	ESM614	Screw-in nut + set screw M6 included with handrail support E4586
-----------	--------	--





AISI303	DIMENSIONS	B
E0221	Ø 80 x 5mm	Ø 33.7mm - Ø 42.4mm



AISI304	AISI316	B	ANCHOR SURFACE
E034200	-	Ø 33.7mm / Ø 42.4mm	Flat surface
E034210	E034210316	Ø 33.7mm / Ø 42.4mm	Ø 42.4mm



WALL HANDRAIL SUPPORTS




AISI304	B
E031/S6	Ø 33.7mm - Ø 42.4mm

AISI304	AISI316	DIMENSIONS	B
E034100	E034100316	66 x 82mm	Ø 33.7mm - Ø 42.4mm




HANDRAIL SUPPORTS


HANDRAIL SUPPORT FOR ANCHORAGE ON GLASS




AISI303	AISI316	B	DESCRIPTION S
E035300	E035300316	$\varnothing 33.7 \times 2.0\text{mm}$ $42.4 \times 2.0\text{mm}$	For glass thickness 8-22mm - glass to be drilled at $\varnothing 15\text{mm}$



AISI303	AISI316	B	DESCRIPTION S
E022/S1	E022/S1316	$\varnothing 33.7 \times 2.0\text{mm}$ $42.4 \times 2.0\text{mm}$	For glass thickness 8-22mm - glass to be drilled at $\varnothing 21\text{mm}$
E022/S3	E022/S3316	$\varnothing 48.3 \times 2.0\text{mm}$ $60.3 \times 2.0\text{mm}$	For glass thickness 8-22mm - glass to be drilled at $\varnothing 21\text{mm}$




AISI303	AISI316	B	DESCRIPTION S
E022/S2	E022/S2316	$\varnothing 33.7 \times 2.0\text{mm}$ $42.4 \times 2.0\text{mm}$	For glass thickness 8-22mm - glass to be drilled at $\varnothing 21\text{mm}$



AISI303	AISI316	B	DESCRIPTION S
E035100	E035100316	$\varnothing 33.7 \times 2.0\text{mm}$ $42.4 \times 2.0\text{mm}$	For glass thickness 8-22mm - glass to be drilled at $\varnothing 15\text{mm}$






4 pieces complete with screws and end cap for tube




AISI303	AISI316	H	A	B
E0301	E0301316	75mm	Ø 33.7 x 2.0mm	Ø 33.7mm / Ø 42.4mm
E030/S38	E030/S38/316	75mm	Ø 38.1 x 1.5mm	Ø 33.7mm / Ø 42.4mm
E030/S	E030/S316	75mm	Ø 42.4 x 2.0mm	Ø 33.7mm / Ø 42.4mm
E0302	E0302316	75mm	Ø 48.3 x 2.0mm	Ø 33.7mm / Ø 42.4mm
E030/S1	-	75mm	Ø 50.8 x 2.0mm	Ø 33.7mm / Ø 42.4mm



3 pieces complete with screws and end cap for tube




AISI303	AISI316	H	A	B
E0311	E0311316	75mm	Ø 33.7 x 2.0mm	Ø 33.7mm / Ø 42.4mm
E031/S38	E031/S38/316	75mm	Ø 38.1 x 1.5mm	Ø 33.7mm / Ø 42.4mm
E031/S1	E031/S1316	75mm	Ø 42.4 x 2.0mm	Ø 33.7mm / Ø 42.4mm
-	E031/S1316/26	75mm	Ø 42.4 x 2.6mm	Ø 33.7mm / Ø 42.4mm
E0312	E0312316	75mm	Ø 48.3 x 2.0mm	Ø 33.7mm / Ø 42.4mm
E0312/26	E0312316/26	75mm	Ø 48.3 x 2.6mm	Ø 33.7mm / Ø 42.4mm
E031/S2	E031/S2316	75mm	Ø 50.8 x 2.0mm	Ø 33.7mm / Ø 42.4mm



4 pieces complete with screws and angled for maximum security with end cap for tube






AISI303	AISI316	H	A	B
E038000	-	124mm	Ø 33.7 x 2.0mm	Ø 33.7mm / Ø 42.4mm
E038100	E038110	124mm	Ø 42.4 x 2.0mm	Ø 33.7mm / Ø 42.4mm



3 pieces complete with screws and angled for maximum security with end cap for tube





AISI303	AISI316	H	A	B
E038200	-	109mm	Ø 33.7 x 2.0mm	Ø 33.7mm / Ø 42.4mm
E038300	E038310	109mm	Ø 42.4 x 2.0mm	Ø 33.7mm / Ø 42.4mm




4 pieces complete with screws and end cap for tube

AISI303	AISI316	H	A	B
-	E038610	90mm	Ø 33.7 x 2.0mm	Ø 33.7mm / Ø 42.4mm
E038700	E038710	90mm	Ø 42.4 x 2.0mm	Ø 33.7mm / Ø 42.4mm




3 pieces complete with end cap for tube

AISI303	AISI316	H	A	B
E038400	E038410	90mm	Ø 33.7 x 2.0mm	Ø 33.7mm / Ø 42.4mm
E038500	E038510	90mm	Ø 42.4 x 2.0mm	Ø 33.7mm / Ø 42.4mm




Simple to install, with improved profile to enable easy sliding along the handrail

MORE ELEGANT LINES WITHOUT
SADDLE-HANDRAIL SUPPORT




4 pieces complete with screws and end cap for tube

AISI303	AISI316	H	A	B
E039000	E039010	88mm	Ø 33.7 x 2.0mm	Ø 33.7mm / Ø 42.4mm
E039100	E039110	88mm	Ø 42.4 x 2.0mm	Ø 33.7mm / Ø 42.4mm



3 pieces complete with screws and end cap for tube


AISI303	AISI316	H	A	B
E039200	E039210	88mm	Ø 33.7 x 2.0mm	Ø 33.7mm / Ø 42.4mm
E039300	E039310	88mm	Ø 42.4 x 2.0mm	Ø 33.7mm / Ø 42.4mm




3 pieces complete with screws and end cap for tube

AISI303	AISI316	H	A	B
E038800	E038810	77mm	Ø 33.7 x 2.0mm	Ø 33.7mm / Ø 42.4mm
E038900	E038910	77mm	Ø 42.4 x 2.0mm	Ø 33.7mm / Ø 42.4mm

ANTI-CLIMBING, REALIGNED
HANDRAIL SUPPORT






4 pieces complete with screws and end cap for tube




AISI316	H	A	B
E039510	76mm	Ø 42.4 x 2.0mm	Ø 33.7mm / Ø 42.4mm



4 pieces complete with screws and end cap for tube




AISI303	AISI316	H	A	B
-	E039810	92mm	Ø 33.7 x 2.0mm	Ø 33.7mm / Ø 42.4mm
E039900	-	92mm	Ø 42.4 x 2.0mm	Ø 33.7mm / Ø 42.4mm




3 pieces complete with screws and end cap for tube



AISI303	AISI316	H	A	B
E040100	-	92mm	Ø 42.4 x 2.0mm	Ø 33.7mm / Ø 42.4mm




AISI304	H	A	B
E030	57mm	Ø 42.4 x 2.0mm	Ø 42.4 x 2.0mm



1 piece


AISI304	H	A	B
E031	57mm	Ø 42.4 x 2.0mm	Ø 42.4 x 2.0mm



3 pieces complete with screws and end cap for tube




AISI303	AISI316	H	A	B	C
E0105	E0105316	48mm	Ø 33.7 x 2.0mm	Ø 33.7mm / Ø 42.4mm	Ø 14mm
E0104	E0104316	58mm	Ø 42.4 x 2.0mm	Ø 33.7mm / Ø 42.4mm	Ø 20mm



2 pieces complete with end cap for tube




AISI303	AISI316	H	A	B	C
E0103	E0103316	48mm	Ø 33.7 x 2.0mm	Ø 33.7mm / Ø 42.4mm	Ø 14mm
E0102	E0102316	58mm	Ø 42.4 x 2.0mm	Ø 33.7mm / Ø 42.4mm	Ø 20mm



3 pieces complete with screws and end cap for tube




AISI316	H	A	B
E040210	68mm	Ø 33.7 x 2.0mm	Ø 33.7mm / Ø 42.4mm



2 pieces complete with end cap for tube




AISI316	H	A	B
E040410	68mm	Ø 33.7 x 2.0mm	Ø 33.7mm / Ø 42.4mm



3 pieces complete with screws and end cap for tube



AISI303	AISI316	H	A	B
E041000	E041010	68mm	Ø 33.7 x 2.0mm	Ø 33.7mm / Ø 42.4mm
E041100	E041110	74mm	Ø 42.4 x 2.0mm	Ø 33.7mm / Ø 42.4mm




2 pieces complete with end cap for tube




AISI303	AISI316	H	A	B
E041200	E041210	74mm	Ø 33.7 x 2.0mm	Ø 33.7mm / Ø 42.4mm
E041300	E041310	74mm	Ø 42.4 x 2.0mm	Ø 33.7mm / Ø 42.4mm

HANDRAIL SUPPORTS




AISI316	A	B
E033610009	Ø 42.4mm	Ø 42.4 x 2.5mm
E033610011	Ø 48.3mm	Ø 48.3 x 2.0mm
E033610012	Ø 42.4mm	Ø 48.3 x 2.5mm
E033610013	Ø 48.3mm	Ø 48.3 x 2.5mm




1 piece

AISI316	H	A	B
E458	50mm	Ø 42.4 x 2.0mm	Ø 33.7mm / Ø 42.4mm




2 pieces complete with screw and end cap for tube

AISI316	H	A	B
E4581	60mm	Ø 42.4 x 2.0mm	Ø 33.7mm / Ø 42.4mm




AISI316	A	B
E4582/337	Ø 33.7 x 2.0mm	Ø 33.7 x 2.0mm
E4582/424	Ø 42.4 x 2.0mm	Ø 42.4 x 2.0mm



Joint is pivoted and height-adjustable with a satin finish

AISI304	AISI316	A	B
E520/424	E500/424	Ø 42.4 x 2.0mm	Ø 33.7mm / Ø 42.4mm




Joint is rigid and height-adjustable with a satin finish

AISI304	AISI316	A	B
E530/424	E510/424	Ø 42.4 x 2.0mm	Ø 33.7mm / Ø 42.4mm




SYSTEM WITH ANTI-CLIMBING
VERTICAL BARS




Tube adaptor with a satin finish

AISI304	AISI316	H	A	B
E490/304	E490	9mm	Ø 33.7 x 2.0mm	Ø 33.7mm
E491/304	E491	12mm	Ø 42.4 x 2.0mm	Ø 42.4mm
-	E492	14mm	Ø 48.3 x 2.0mm	Ø 48.3mm
-	E493	16mm	Ø 60.3 x 2.0mm	Ø 60.3mm




Tube adaptor with a satin finish

AISI304	AISI316	H	A	B
-	E2051	6.5mm	Ø 33.7 x 2.0mm	Ø 33.7mm
-	E454	6mm	Ø 42.4 x 2.0mm	Ø 42.4mm
-	E454/26	6.5mm	Ø 42.4 x 2.6mm	Ø 42.4mm
E2052/304	E2052	9mm	Ø 48.3 x 2.0mm	Ø 48.3mm
-	E2052/26	9mm	Ø 48.3 x 2.6mm	Ø 48.3mm
-	E2053	9mm	Ø 60.3 x 2.0mm	Ø 60.3mm




Round shallow end cap

AISI304	AISI316	A	H
E42420/304	E42420	Ø 42.4 x 2.0mm	5mm




Welded, with threaded pins

AISI303	AISI316	A	H
E031/S	E031/S316	Ø 42.4 x 2.0mm	54mm




AISI316	A	B	C	D
E4585	Ø 42.4 x 2.0mm	Ø 42.4 x 2.0mm	89mm	52.5mm




Joint is rigid, for lateral fastening

AISI304	AISI316	B
E4583304	E4583	square
E4587	E4583/424	Ø 42.4mm
E4588304	E4588	Ø 48.3mm




Joint is rigid, for lateral fastening

AISI304	AISI316	B
-	E4584	square
-	E4584/424	Ø 42.4mm
E4589	-	Ø 48.3mm




For lateral fastening, rigid and complete with set screws, for tube Ø 42,4 mm height-adjustable

AISI303	AISI316	DIMENSIONS	A	B
E0225	E0225316	Ø 12 x 125mm	Ø 33.7mm / Ø 42.4mm	Ø 33.7mm / Ø 42.4mm
E0226	E0226316	Ø 14 x 125mm	Ø 33.7mm / Ø 42.4mm	Ø 33.7mm / Ø 42.4mm




HANDRAIL SUPPORT THAT CAN BE INSTALLED ON A POST OR DIRECTLY ONTO A WALL









Flanged handrail support




AISI316	A	B	H
E4540	Ø 68mm	Ø 33.7mm	60mm
E4541	Ø 83mm	Ø 42.4mm	67mm
E4542	Ø 93mm	Ø 48.3mm	70mm
E4543	Ø 105mm	Ø 60.3mm	75mm

Flanged handrail support



AISI304	AISI316	B	H
-	E0231316	square	50mm
E0232	E0232316	Ø 42.4mm	50mm
E0229	-	square	75mm
E0230	E0230316	Ø 42.4mm	75mm
E0233	-	square	100mm
E0234	E0234316	Ø 42.4mm	100mm


3 pieces complete with
aluminium flange Ø 55 x
8mm and flange canopy Ø
62 x 15mm




AISI303	AISI316	B	H
E0210	-	Ø 33.7mm	71.5mm
E021/S	E021/S316	Ø 42.4mm	72mm

HANDRAIL SUPPORTS

HANDRAIL SUPPORT ELEMENTS




AISI304	AISI316	H	B
E041400	E041500	68mm	Ø 33.7 - Ø 42.4mm



AISI304	AISI316	H	B
E041410	E041510	68mm	Ø 33.7 - Ø 42.4mm


MOUNTING PLATES



Thickness 4mm

AISI304	AISI316	FOR TUBE
E011971	E011971316	Ø 33.7 - Ø 42.4mm
E011973	E011973316	Ø 48.3 - Ø 60.3mm

Thickness 4mm Flat face



AISI304	AISI316	FOR TUBE A
E01197	E01197316	Ø 33.7 - Ø 42.4mm
E011972	E011972316	Ø 48.3 - Ø 60.3mm
E011976	E011976316	Flat face




Thickness 4mm


AISI304	AISI316	FOR TUBE
E011970	E011970316	Flat face



AISI304	AISI316	FOR TUBE
E011974	E011974316	Ø 33.7 - Ø 42.4mm
-	E011975316	Ø 48.3 - Ø 60.3mm



90° MOUNTING PLATES




Thickness 4mm

AISI304	AISI316	FOR TUBE
E011977	E011977316	Flat face


CONNECTORS

Pivotable with external thread M8
and internal thread M6




AISI304	AISI316	DIMENSIONS A x B	PIVOTABLE
E011931	E011931316	Ø 12 x 65mm	Yes
E01193	E01193316	Ø 14 x 65mm	Yes

Fixed with external thread M8
and internal thread M6




AISI304	AISI316	DIMENSIONS A x B
E011941	E011941316	Ø 12 x 65mm
E01194	E01194316	Ø 14 x 65mm
E011943	E011943316	Ø 12 x 115mm
E011944	E011944316	Ø 14 x 115mm

Internal thread M6




AISI304	AISI316	DIMENSIONS A x B
E011945	E011945316	Ø 12 x 80mm
E0119451	E0119451316	Ø 14 x 80mm
E011940	E011940316	Ø 12 x 115mm - rounded head
E0119441	E0119441316	Ø 14 x 115mm - rounded head

Fixed with external thread M8




AISI304	DIMENSIONS A x B
72 214	Ø 12 x 70mm
72 228	Ø 14 x 90mm
72 229	Ø 12 x 120mm

HANDRAIL SUPPORTS




AISI304	AISI316	FOR TUBE A	B
E468/337/S	E468/337	Ø 33.7mm	45.4mm
E468/424/S	E468/424	Ø 42.4mm	53.6mm

END CAPS FOR HANDRAIL HOLDERS




Fixing grains included



AISI303	AISI316	FOR TUBE A	THROUGH HOLE
E01195100	E02195100	Ø 33.7 x 2.0mm	Ø 12.2mm
E01196100	E02196100	Ø 42.4 x 2.0mm	Ø 12.2mm


HANDRAIL SUPPORTS

FITTINGS FOR HANDRAIL




Dimensions 75 x 75mm Ø 12mm, satin finish without screw


AISI304	AISI316	DESCRIPTION
E011946	E011946316	With internal thread M6 and external thread M8



AISI304	AISI316	DESCRIPTION
E011947	E011947316	With 1 internal thread M6




AISI304	AISI316	DESCRIPTION
E011948	E011948316	With internal threads M6



Connector for handrail out of axis, with internal threads M8 and M6



AISI304	AISI316	DESCRIPTION
-	E01192316	90 x 75mm




HANDRAIL KITS

READY FOR INSTALLATION

A new series of handrail kits in satin-finish, mirror-polished stainless steel and wood.

Ready for assembly, the kits are supplied complete with handrail supports and 2 or 3 metre long tubes.

They are easy to install on any wall - and ideal for the less experienced fitter.



KIT COMPRISES

DESCRIPTION	NO PCS. L 2000mm	NO PCS. L 3000mm
Tube	1	1
Anchorage element	2	3
Flange cover	2	3
End cap	2	2
Flat head screw	4	6



AISI316	Ø TUBE	LENGTH L	A
Mirror polished			
X090	Ø 42.4 x 2.0mm	2000mm	1500mm
X091	Ø 42.4 x 2.0 mm	3000mm	1250mm



AISI304	Ø TUBE	LENGTH L	A
Satin finish			
E090	Ø 42.4 x 2.0mm	2000mm	1500mm
E091	Ø 42.4 x 2.0mm	3000mm	1250mm



AISI316	Ø TUBE	LENGTH L	A
Mirror polished			
X095	40 x 40mm	2000mm	1500mm
X096	40 x 40mm	3000mm	1250mm



AISI304	Ø TUBE	LENGTH L	A
Satin finish			
E095	40 x 40mm	2000mm	1500mm
E096	40 x 40mm	3000mm	1250mm

Aalco has 18 service centres around the country which offer a reliable and on-time delivery service anywhere in the UK. Each centre holds stock to meet the immediate needs of customers in the local area and this is backed up by bulk stocks held at a central warehouse.

To find out more, ask for a quotation or to get advice on any product selection, please contact your local Aalco service centre.

ABERDEEN

Tel: 01224 854810
Fax: 01224 871982
aberdeen@aalco.co.uk

LEEDS

Tel: 0113 276 3300
Fax: 0113 276 0382
leeds@aalco.co.uk

AYLESBURY

Tel: 01296 461700
Fax: 01296 339923
aylesbury@aalco.co.uk

LIVERPOOL

Tel: 0151 207 3551
Fax: 0151 207 2657
liverpool@aalco.co.uk

BELFAST

Tel: 028 9083 8838
Fax: 028 9083 7837
belfast@aalco.co.uk

MANCHESTER

Tel: 01204 863456
Fax: 01204 863430
manchester@aalco.co.uk

BIRMINGHAM

Tel: 0121 585 3600
Fax: 0121 585 6864
birmingham@aalco.co.uk

NEWCASTLE

Tel: 0191 491 1133
Fax: 0191 491 1177
newcastle@aalco.co.uk

CHEPSTOW

Tel: 01291 638638
Fax: 01291 638600
chepstow@aalco.co.uk

NORWICH

Tel: 01603 787878
Fax: 01603 789999
norwich@aalco.co.uk

DYFED

Tel: 01269 842044
Fax: 01269 845276
dyfed@aalco.co.uk

NOTTINGHAM

Tel: 0115 988 2600
Fax: 0115 988 2636
nottingham@aalco.co.uk

ESSEX

Tel: 01268 884200
Fax: 01268 884220
essex@aalco.co.uk

SOUTHAMPTON

Tel: 023 8087 5200
Fax: 023 8087 5275
southampton@aalco.co.uk

GLASGOW

Tel: 0141 646 3200
Fax: 0141 646 3260
glasgow@aalco.co.uk

STOKE

Tel: 01782 375700
Fax: 01782 375701
stoke@aalco.co.uk

HULL

Tel: 01482 626262
Fax: 01482 626263
hull@aalco.co.uk

SWANLEY

Tel: 01322 610900
Fax: 01322 610910
swanley@aalco.co.uk

Also available in Ireland

DUBLIN

Tel: +353 (0) 1 629 8600
Fax: +353 (0) 1 629 9200
dublin@amari-dublin.com

CORK

Tel: +353 (0) 21 431 0520
Fax: +353 (0) 21 431 0519
cork@amari-cork.com

